

Blepharoplasty

(Eyelid Surgery)

This procedure removes fat deposits and extra skin from around the eyes to eliminate drooping of the upper eyelids and remove eye bags, giving a brighter, less tired look. Our surgeons are able to create a double upper eyelid fold to enhance Asian eyes.

Price:


Upper Eyelid: 540 US\$

Lower eyelid: 540 US\$

Pre-Op Instructions:

- ◆ Consultation with surgeon.
- ◆ Evaluation for other medical conditions.
- ◆ No intake of food or water 8 hrs prior to surgery.
- ◆ May bring sunglasses to cover eyes after surgery.
- ◆ Stop smoking & alcohol intake at least 2-4 weeks before surgery.
- ◆ Anticoagulants, vitamins, hormones (including birth control pills), anti-depressants & some other medications also to be stopped at least 2 weeks before surgery.

NOTE: *Please provide Yanhee with a complete list of medications each patient is taking so proper advice can be given as to which medications should or shouldn't be stopped.*



- NOTE:**
1. Prices are subject to change without prior notice.
 2. Further details of procedures may be requested through e-mail.

Website: www.yanhee.net E-mail: inter_contact@yanhee.net, info@yanhee.net
Hotline: (+66) 02-879-0300 ext. 7 (available 7AM-10PM Bangkok Local Time)



Anesthesia: Local anesthesia with sedation

Duration: 1-2 hrs

Procedure:

- ◆ Surgeon makes an incision following the natural creases of the patient's eyelids.
- ◆ The skin is separated from the underlying tissue.
- ◆ Excess fat is removed & sagging skin & muscles are trimmed.
- ◆ The incisions are closed with very fine sutures.

Post-Op Instructions:


- ◆ To keep swelling at a minimum, apply cold compresses using a gauze sponge for the 1st 12-18 hrs.
- ◆ Keep the head higher than the heart at all times.
- ◆ Sleep on at least 2 or more pillows for the next 2-4 wks.
- ◆ Heavy lifting & bending over should be avoided for the next 2-4 weeks.
- ◆ Wear sunglasses as needed to prevent squinting.
- ◆ Make-up can be applied 7-10 days after surgery.
- ◆ Hair may be shampooed after 48 hrs & coloring may be done after a week.
- ◆ Patient may return to work in 10-14 days.
- ◆ Contact lenses may be worn after at least 2 wks.
- ◆ Swelling & bruising subsides in 1-2 wks.
- ◆ Follow-up check with the doctor & removal of sutures will be done after 7 days.

UPPER BLEPHAROPLASTY:

BEFORE



AFTER



LOWER BLEPHAROPLASTY:

BEFORE



AFTER

